

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

> P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/812,373	03/29/2004	Xiaohua Shi	ITL.1096US (P18491)	7604
21906 TROP PRUNE	7590 06/21/2007 ER & HU, PC	EXAMINER		
1616 S. VOSS ROAD, SUITE 750			WANG, JUE S	
HOUSTON, TX 77057-2631			ART UNIT	PAPER NUMBER
			2193	
			MAIL DATE	DELIVERY MODE
	·		06/21/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/812,373	SHI ET AL.
Office Action Summary	Examiner	Art Unit
	Jue S. Wang	2193
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	ne correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICAT 36(a). In no event, however, may a reply I will apply and will expire SIX (6) MONTHS 5, cause the application to become AB AND	TION. be timely filed from the mailing date of this communication. ONED (35 U.S.C. § 133).
Status	í	
 1) ⊠ Responsive to communication(s) filed on 29 M 2a) ☐ This action is FINAL. 2b) ⊠ This 3) ☐ Since this application is in condition for allowangle closed in accordance with the practice under E 	action is non-final. nce except for formal matters,	
Disposition of Claims	•	
4) ⊠ Claim(s) <u>1-30</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-30</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9)☑ The specification is objected to by the Examine 10)☑ The drawing(s) filed on 29 March 2004 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the Example 2.	a) accepted or b) objected or b) objected drawing(s) be held in abeyance. tion is required if the drawing(s) is	See 37 CFR 1.85(a). s objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Appli rity documents have been rec u (PCT Rule 17.2(a)).	ication No eived in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Sum	
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		ail Date nal Patent Application

Application/Control Number: 10/812,373 Page 2

Art Unit: 2193

DETAILED ACTION

1. Claims 1-30 have been examined.

Specification

2. The specification is objected to because of the following informalities:

Page 5, line 19, the phrase "The instruction 125 includes five separate instructions from I0 to I5" should read "The instruction 125 includes six separate instructions from I0 to I5" as there are six instructions from I0 to I5.

Page 5, line 23, the phrase "five exemplary instructions" should read "six exemplary instructions".

Page 6, lines 20-21 refer to "the simple heuristic rule in Figure 7" whereas Figure 7 depicts a processor-based system, see page 2, lines 29-31. It is believed that "Figure 7" should be "Figure 6" instead since "Figure 6 is a hypothetical pseudo code showing a heuristic rule", see page 2, lines 26-29.

Appropriate corrections are required.

Claim Objections

3. Claim 5 is objected to because of the following informalities:

Claim 5, line 2, the phrase "a issue" should be "an issue".

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

1

Art Unit: 2193

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Page 3

5. Claims 4, 5, 7-9, 13-15, 17-20, 22-30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

A. The following lacks antecedent basis in the claims:

- i. Claim 19, "said register" in line 1. Because of the recitation of "a register" in claim 17, it is believed that claim 19 was intended to depend on claim 17 and it is treated as such for compact prosecution of the claims.
- ii. Claim 22, "the data dependency" in line 4.
- iii. Claim 25, "the number of cycles" and "the issue" in line 3.
- iv. Claim 28, "the first non-zero" value and "the m-th row" in line 3.
- v. Claim 29, "the first non-zero" value and "the m-th column" in line 3.

B. The following claim language is not clear and indefinite:

i. As per claim 4, line 2, and claim 24, line 2, the term "issue latency" is used. It is not clearly understood what is meant by this limitation (i.e., the number of cycles between when the first instruction is issued and when the second instruction is issued later, or the number of cycles between when an instruction is fetched and issued, or the number of cycles between when an instruction is issued and retired, etc.). Furthermore, it is not clearly understood how maintaining a count of issue latency is related to assigning a number of stall cycles for scheduling instructions as recited in claims 1 and 21.

Art Unit: 2193

- ii. As per claim 5, lines 2-3, and claim 25, lines 2-3, the phrase "a number of cycles from start to end of an issue of said first and second instruction" is used. It is not clearly understood what is meant by this limitation (i.e., the number of cycles from the start to end of an issue of one instruction, or the number of stall cycles from the start to end of an issue of one instruction, or the number of cycles from the start of an issue of the first instruction to the end of an issue of the second instruction, etc.). Furthermore, it is not clearly understood how maintaining a count of number of cycles is related to assigning a number of stall cycles for scheduling instructions as recited in claims 1 and 21.
- iii. As per claim 7, line 2, claim 13, lines 2-3, and claim 27, line 2, the phrase "m rows and m columns" is used. It is not clearly understood what is meant by this limitation (i.e., does "m rows and m columns" mean that the scoreboard is extended by an arbitrary number of rows and columns, or the scoreboard is extended by an arbitrary but equal number of rows and columns, or the scoreboard is extended by a number of rows and columns that is related to the number of instructions being scheduled, etc.).
- As per claim 8, line 2, claim 14, line 2, and claim 28, line 2, the phrase "an m-th row" is used. It is not clearly understood what is meant by this limitation (i.e., does "m-th row" refer to any row in the scoreboard, to the last row in the register scoreboard with m-rows and m-columns, or is "m-th" row a specific row that must be used in relation to the instruction that is reordered, etc.).

Art Unit: 2193

Page 5

- v. As per claim 9, line 2, claim 15, line 2, and claim 29, line 2, the phrase "an m-th column" is used. It is not clearly understood what is meant by this limitation (i.e., does "m-th column" refer to any column in the scoreboard, to the last column in the register scoreboard with m-rows and m-columns, or is "m-th" row a specific row that must be used in relation to the instruction that is reordered, etc.).
- vi. As per claim 17, line 2, the phrase "a register to store dependency data' is used. It is not clearly understood how storing dependency data in a register is related to assigning a number of stall cycles for scheduling instructions as recited in claim 16.

Appropriate corrections are required.

Any claim not specifically addressed, above, is being rejected as incorporating the deficiencies of a claim upon which it depends.

Claim Rejections - 35 USC § 102

- 6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 7. Claims 1, 2, 16, 21, and 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Wang et al. (US 7,036,106 B1, hereinafter Wang).

8. As per claim 1, Wang teaches the invention as claimed including a method comprising: assigning a number of stall cycles between a first and a second instruction (see column 30, lines 4-7, 22-27, 43-48, 55-60, and column 34, line 50-column 35, line 3; EN: while Wang states determining a number of stall cycles between a pair of instructions, the determining incorporates assigning the stall cycles resulting from the determination to the pair of instructions since the subsequent scheduling of this pair instructions is based on the number of stall cycles to minimize the total stall cycles which is the same goal of the applicants' invention to "eliminate most of GAPs in many Java applications" as disclosed in page 6, line 3-page 7, line 2 of the specification); and

scheduling said first and second instructions for execution based on the assigned stall cycles (see column 30, lines 7-10, and column 35, lines 12-19).

- 9. As per claim 2, Wang teaches using a number of the maximum possible pipeline stall cycles between said first and second instructions to indicate a data dependency therebetween (see column 30, lines 12-26).
- 10. As per claim 16, this is a system claim of claim 1. Therefore, it is rejected for the same reason as claim 1.
- 11. As per claims 21-22, they are the article comprising a computer readable storage medium for storing instruction claims of claims 1 and 2. Therefore, they are rejected for the same reasons as claims 1 and 2.

Art Unit: 2193

Claim Rejections - 35 USC § 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the

manner in which the invention was made.

13. Claims 3, 17-19, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Larson et al., (US 6,662,293 B1,

hereinafter Larson).

14. As per claim 3, Wang does not teach extending a register scoreboard that keeps track of

the data dependency.

Larson teaches extending a register scoreboard that keeps track of the data dependency

(see column 1, line 67 and column 2, lines 1-18).

It would have been obvious to one of ordinary skill in the art at the time of the invention

to have modified Wang with the feature of extending a register scoreboard that keeps track of the

data dependency as taught by Larson because processors that support out-of-order execution

often use an "instruction scoreboard" to keep track of information regarding dependencies

between instructions (see column 1, lines 31-35 of Larson).

15. As per claim 17, Wang does not teach a register to store dependency data between said

first and second instruction.

Larson teaches a register to store dependency data between a first and second instruction (see column 1, line 67 and column 2, lines 1-18).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang with the feature of a register scoreboard to store dependency data between said first and second instruction as taught by Larson because processors that support out-of-order execution often use an "instruction scoreboard" to keep track of information regarding dependencies between instructions (see column 1, lines 31-35 of Larson).

- 16. As per claim 18, Wang further teaches a compiler coupled to schedule said first and second instructions for execution based on a maximum possible pipeline stall cycles (see column 30, lines 4-26).
- 17. As per claim 19 (as currently dependent on claim 17), Larson further teaches that the register is a register scoreboard (see column 2, lines 1-18).
- 18. As per claim 23, this is the article comprising a computer readable storage medium for storing instruction claim of claim 3. Therefore, it is rejected for the same reason as claim 3.
- 19. Claims 4 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Larson et al., (US 6,662,293 B1, hereinafter Larson), as applied to claims 3 and 23 above, further in view of Anderson et al. (US 6,092,180, hereinafter Anderson).

Art Unit: 2193

20. As per claim 4, Wang and Larson do not teach maintaining a count of issue latency for said first and second instructions.

Anderson teaches maintaining a count of issue latency for the sampled instructions (see column 7, lines 7-13 and column 16, lines 19-23).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang as modified to maintain a count of issue latency for said first and second instructions as taught by Anderson because many of the conditions associated with stalls are difficult to predict at compile-time, and all of them degrade the performance of the system, so it is valuable to sample the information available on lines (see column 11, lines 31-40 of Anderson).

- 21. As per claim 24, this is the article comprising a computer readable storage medium for storing instruction claim of claim 4. Therefore, it is rejected for the same reason as claim 4.
- Claims 5, 6, 10, 25, 26, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Larson et al., (US 6,662,293 B1, hereinafter Larson), as applied to claims 3 and 23 above, further in view of Levine et al. (US 5,987,598, hereinafter Levine).
- 23. As per claim 5, Wang and Larson do not teach maintaining a count for the number of cycles from start to end of an issue of said first and second instructions.

Art Unit: 2193

Levine teaches maintaining a count for the number of cycles from start to end of an issue of said first and second instructions (see column 6, lines 29-31).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang as modified to maintain a count for pipeline stalls between said first instruction and a previous instruction as taught by Levine because the performance monitor permit identifying performance bottlenecks and monitoring pipeline stalls, so that software engineer can readily determine what modifications to the code can be made to optimize data processing system performance (see column 4, lines 49-63 and column 7, lines 40-52 of Levine), so in particular, it would have been obvious that compiler writers can use the performance data to evaluate the effectiveness of a scheduling algorithm.

24. As per claim 6, Wang and Larson do not teach maintaining a count for pipeline stalls between said first instruction and a previous instruction.

Levine teaches maintaining a count for pipeline stalls between said first instruction and a previous instruction (see column 5, lines 1-4, 53-61, and column 6, lines 33-40).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang as modified to maintain a count for pipeline stalls between said first instruction and a previous instruction as taught by Levine because the performance monitor permit identifying performance bottlenecks and monitoring pipeline stalls, so that software engineer can readily determine what modifications to the code can be made to optimize data processing system performance (see column 4, lines 49-63 and column 7, lines 40-52 of Levine),

Art Unit: 2193

so in particular, it would have been obvious that compiler writers can use the performance data to evaluate the effectiveness of a scheduling algorithm.

As per claim 10, Wang and Larson do not teach keeping track of an instruction that causes pipeline stall.

Levine teaches keeping track of an instruction that causes pipeline stall (see column 5, lines 46-61).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang as modified to keep track of an instruction that causes pipeline stall as taught by Levine because the performance monitor permit identifying performance bottlenecks and monitoring pipeline stalls, so that software engineer can readily determine what modifications to the code can be made to optimize data processing system performance (see column 4, lines 49-63 and column 7, lines 40-52 of Levine), so in particular, it would have been obvious that compiler writers can use the performance data to evaluate the effectiveness of the scheduling algorithm.

- As per claims 25, 26, and 30, they are the article comprising a computer readable storage medium for storing instruction claims of claims 5, 6, and 10. Therefore, they are rejected for the same reasons as claims 5, 6, and 10.
- Claims 7-9 and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Larson et al., (US 6,662,293 B1,

Art Unit: 2193

hereinafter Larson), as applied to claims 3 and 23 above, further in view of Merchant et al. (US 6,334,182 B2, hereinafter Merchant).

As per claim 7, Larson teaches that the register scoreboard has rows and columns to keep 28. track of data dependency (see Fig 3, column 5, lines 40-62). However, Wang and Larson do not teach that there are an equal number (m) of rows and columns in the register scoreboard.

Merchant teaches a dependency matrix with m-rows and m-columns (see column Fig 5, Fig 6, column 4, lines 43-57, and column 5, lines 42-55).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang modified by Larson such that the register scoreboard is extended by mrows and m-columns as taught by Merchant because by using a dependency matrix, the dependencies between entries in the scheduling queue are easily setup and maintained, and the time consuming compares in the scheduling loop may be eliminated (see column 4, lines 36-42 of Merchant). Furthermore, while Merchant only teaches that a dependency between two instructions in the dependency matrix is represented as "D" which could be a bit having a value of "1" (see column 4, lines 43-50 of Merchant), it would have been obvious to one of ordinary skill in the art that "D" could be represented by the maximum possible pipeline stall cycles since it provides information about the extend of the dependency between two instructions rather than just the existence of the dependency.

29. As per claim 8, Merchant further teaches keeping track of a first non-zero value from right to left in m-th row of the dependency matrix to reorder said first instruction (see column 6,

lines 53-65 and column 7, lines 20-31; EN: the ready determination unit keeps track of a first non-zero value in the m-row since an entry with a bit set with a value of "1" indicates that the instruction is not ready to be dispatched. While Merchant does not disclose the direction of the ready determination unit when checking the row, it would have been obvious to one of ordinary skill in the art at the time of the invention that the ready determination unit could operate in the right to left direction since any non-zero value found in the row regardless of the operation it corresponds to will indicate that the instruction associated with the row is not ready to dispatch).

- As per claim 9, Merchant further teaches keeping track of a first non-zero value from top 30. to bottom in m-th column of the dependency matrix to reorder said first instruction (see column 6, lines 62-65 and column 7, lines 28-31; EN: the ready determination unit keeps track of a first non-zero value in the m-th column by making sure to clear the non-zero value when the operation associated with the row is dispatched, which in turns allows the scheduling of instructions dependent on the dispatched instruction. While Merchant does not disclose the direction in which the column is cleared, it would have been obvious to one of ordinary skill in the art that the column can be cleared in a top to bottom order since the column is cleared regardless of the direction of the clearing process).
- As per claims 27-29, they are the article comprising a computer readable storage medium 31. for storing instruction claims of claims 7-9. Therefore, they are rejected for the same reasons as claims 7-9.

- 32. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Anderson et al. (US 6,092,180, hereinafter Anderson).
- 33. As per claim 11, Wang teaches a compiler that schedules a first and second instructions for execution based on the stall cycles between the first and second instruction (see column 30, lines 4-10 and column 35, lines 12-19).

Wang does not teach that the compiler is coupled to an apparatus with a register to store a number of stall cycles between a first and a second instruction.

Anderson teaches an apparatus with a register to store a number of stall cycles between a first instruction and a second instruction (see Fig 3, column 7, lines 7-13 and column 12, lines 57-63).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang to couple the compiler with an apparatus with a register to store a number of stall cycles between a first and a second instruction as taught by Anderson because static instruction schedulers do not always have exact dependency information which would allow them to optimally schedule the memory access instructions, and it is difficult to exactly predict the latency of memory access instructions (see column 27, lines 9-29 of Anderson).

As per claim 12. Wang further teaches that the compiler uses a number of maximum 34. possible pipeline stall cycles between said first and second instructions to indicate data dependency therebetween (see column 30, lines 12-26).

Claims 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Anderson et al. (US 6,092,180, hereinafter Anderson), as applied to claim 12 above, further in view of Merchant et al. (US 6,334,182 B2, hereinafter Merchant).

36. As per claim 13, Wang and Anderson do not teach that the register is extended by mrows and m-columns to keep track of maximum possible pipeline stall cycles.

Merchant teaches a register that is extended by m-rows and m-columns (see column Fig 5, Fig 6, column 4, lines 43-57, and column 5, lines 42-55).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Wang modified by Anderson such that the register is extended by m-rows and m-columns as taught by Merchant because by using a dependency matrix, the dependencies between entries in the scheduling queue are easily setup and maintained, and the time consuming compares in the scheduling loop may be eliminated (see column 4, lines 36-42 of Merchant). Furthermore, while Merchant only teaches that a dependency between two instructions in the dependency matrix is represented as "D" which could be a bit having a value of "1" (see column 4, lines 43-50 of Merchant), it would have been obvious to one of ordinary skill in the art at the time of the invention that "D" can be represented by the maximum possible pipeline stall cycles since it provides information about the extend of the dependency between two instructions rather than just the existence of the dependency.

- 37. As per claim 14, Merchant further teaches keeping track of a first non-zero value from right to left in m-th row to reorder said first instruction (see column 6, lines 53-65 and column 7, lines 20-31; EN: the ready determination unit keeps track of a first non-zero value in the m-row since an entry with a bit set with a value of "1" indicates that the instruction is not ready to be dispatched. While Merchant does not disclose the direction of the ready determination unit when checking the row, it is obvious to one of ordinary skill in the art that the ready determination unit can operate from right to left direction since any non-zero value found in the row regardless of the operation it corresponds to will indicate that the instruction associated with the row is not ready to dispatch). Merchant does not disclose the use of the dependency matrix by a compiler, however, it would have been obvious to one of ordinary skill in the art that the idea and principle of the dependency matrix could be used in a compiler which must keep track of dependencies between instructions when scheduling instructions.
- As per claim 15, Merchant further teaches keeping track of a first non-zero value from top to bottom in m-th column to reorder said first instruction (see column 6, lines 62-65 and column 7, lines 28-31; EN: the ready determination unit keeps track of a first non-zero value in the m-th column by making sure to clear the non-zero value when the operation associated with the row is dispatched, which in turns allows the scheduling of instructions dependent on the dispatched instruction. While Merchant does not disclose the direction in which the column is cleared, it would have been obvious to one of ordinary skill in the art that the column can be cleared in a top to bottom order since the column is cleared regardless of the direction of the clearing process). Merchant does not disclose the use of the dependency matrix by a compiler,

Application/Control Number: 10/812,373 Page 17.

Art Unit: 2193

however, it would have been obvious to one of ordinary skill in the art that the idea and principle of the dependency matrix could be used in a compiler which must keep track of dependencies between instructions when scheduling instructions.

- 39. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang et al. (US 7,036,106 B1, hereinafter Wang), in view of Larson et al., (US 6,662,293 B1, hereinafter Larson), as applied to claim 17 above, further in view of Cyran et al. (US 6,412,107 B1, hereinafter Cyran).
- 40. As per claim 20, Wang and Larson do not teach that the compiler is just-in-time compiler for an object-oriented programming language.

Cyran teaches a just-in-time compiler for an object oriented programming language (see column 2, lines 42-65 and column 5, lines 65-67).

It would have been obvious to one of ordinary skill in the art at the time of the invention to use the specific instruction scheduling technique taught by Wang and Larson in a just-in-time compiler for an object oriented programming language as in Cyran because instruction scheduling algorithms reorder instructions to increase performance by reducing pipeline stalls and these algorithms operate by simulating the target processor's pipeline to determine the instruction ordering that results in the fewest number of stall cycles (see column 29, line 63 - column 30, lines 3 of Wang).

Application/Control Number: 10/812,373 Page 18

Art Unit: 2193

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- O Tarsy et al. (US 5,202,993) is cited to teach a method and apparatus for cost-based heuristic instruction scheduling.
- o Kahle et al. (US 5,802,386) is cited to teach latency-based scheduling of instructions in a superscalar processor.
- o Simons et al. (US 5,887,174) is cited to teach a system, method, and program product for instruction scheduling in the presence of hardware lookahead accomplished by the rescheduling of idle slots.
- o Gupta et al. (US 5,941,983) is cited to teach out-of-order execution using encoded dependencies between instructions in queues to determine stall values that control issuance of instruction from the queues.
- o Grochowski et al. (US 6,035,389) is cited to teach scheduling instructions with different latencies.
- O Chinnakonda et al. (US 6,108,769) is cited to teach dependency table for reducing dependency checking hardware.
- o Berc et al. (US 6,112,317) is cited to teach processor performance counter for sampling the execution frequency of individual instructions.
- O Corwin et al. (US 6,550,001 B1) is cited to teach a method and implementation of statistical detection of read after write and write after write hazards.

Art Unit: 2193

o Kadambi (US 7,055,021 B2) is cited to teach out-of-order processor that reduces misspeculation using a replay scoreboard.

- o Pechtchanski et al. (US 7,089,403 B2) is cited to teach a system and method for using hardware performance monitors to evaluate and modify the behavior of an application during execution of the application.
- O Dai et al. (US 2005/0125786 A1) is cited to teach a compiler with two phase bidirectional scheduling framework for pipelined processors.
- o Shpeisman et al. (US 2005/0149916 A1) is cited to teach data layout mechanism to reduce hardware resource conflicts.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jue S. Wang whose telephone number is (571) 270-1655. The examiner can normally be reached on M-Th 7:30 am - 5:00pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on 571-272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/812,373 Page 20

Art Unit: 2193

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

J.W. 5/22/2007

MENG-AL T. AN
SUPERVISORY PATENT EXAMINER
CECHNOLOGY CENTER 2100